

KEENE IDEAS®

Quiet Qurl® Sound Performance Tests

Please Contact Keene Building Products for Copies of Test Reports

TYPE OF SUBFLOOR	PRODUCT	FSTC/STC	FIIC/IC	TEST NUMBER	FLOORING
CONCRETE					
Concrete with ceiling					
Intertek	QUIET QURL 55/025		63	3033285-002A	Vinyl
Intertek	QUIET QURL 60/040		64	3033285-002B	Vinyl
Intertek	QUIET QURL 60/040		68	3033285-002C	Laminate
Intertek	QUIET QURL 55/025		68	3033285-002D	Laminate
Intertek	Competitive		67	3033285-002E	Laminate
Intertek	QUIET QURL 55/025		95	3033285-002F	Carpet
Western Electro – Acoustic	NO MAT		48	F04-288	Concrete
Western Electro – Acoustic	QUIET QURL 60/040		63	F04-289 & 290	Concrete
Western Electro – Acoustic	QUIET QURL 60/040		61	F04-291	Tile
Western Electro – Acoustic	NO MAT		49	F04-292	Concrete
Western Electro – Acoustic	QUIET QURL 60/040		63 & 62	F04-293 & 294	Eng. Wood
Western Electro – Acoustic	QUIET QURL 60/040		63	F04-295	Tile
Western Electro – Acoustic	NO MAT		32	F04-296	Concrete
Western Electro – Acoustic	QUIET QURL 60/040	59		F04-297	Concrete
Concrete without ceiling					
Veneklassen Associates	QUIET QURL 65/075		62	F03-350	None
Intertek	QUIET QURL 60/040		53	3033285-003A	Vinyl
Intertek	QUIET QURL 55/025		54	3033285-003B	Vinyl
Intertek	QUIET QURL 60/040		55	3033285-003C	Laminate
Shiner & Associates	QUIET QURL 60/040		60	1040510-01	Hardwood
Shiner & Associates	COMPETITIVE		59	1040510-02	Hardwood
WOOD FRAME					
Open web Joists					
Intertek	QUIET QURL 55/025		52	3045875-001	Eng. Wood
Intertek	QUIET QURL 55/025	52		3045875-002	Eng. Wood
Intertek	QUIET QURL 55/025		51	3045875-003	Vinyl
Intertek	QUIET QURL 55/025	52		3045875-004	Vinyl
Intertek	QUIET QURL 55/025		50	3045875-005	Ceramic Tile
Intertek	QUIET QURL 55/025	52		3045875-006	Ceramic Tile
Intertek	QUIET QURL 55/025		56	3033285-001A	Vinyl
Intertek	QUIET QURL 60/040		56	3033285-001B	Vinyl
Intertek	QUIET QURL 55/025		58	3033285-001C	Laminate
Intertek	QUIET QURL 60/040		61	3033285-001D	Laminate
Intertek	QUIET QURL 60/040		58	3033285-001E	Laminate
"I" Joists					
Intertek	QUIET QURL 60/040 MC		55	3103285CRT-001A Test #1	Concrete
Intertek	QUIET QURL 60/040 MC		59	3103285CRT-001A Test #2	Laminate
Intertek	QUIET QURL 60/040 MC		60	3103285CRT-001A Test #3	Eng. Wood
Intertek	QUIET QURL 60/040 MC		56	3103285CRT-001A Test #4	Vinyl
Intertek	QUIET QURL 60/040 MC		75	3103285CRT-001A Test #5	Carpet
Intertek	QUIET QURL 60/040 MC		57	3103285CRT-001A Test #6	Ceramic Tiles
Intertek	QUIET QURL 60/040 MC	56		3103285CRT-001B	Concrete
Intertek	QUIET QURL 60/040 MC	56		3090048-001E	Concrete
Western Electro-Acoustic	QUIET QURL 55/025		52	F02-261	Vinyl
Western Electro-Acoustic	QUIET QURL 60/040		52	F02-262	Vinyl
Western Electro-Acoustic	QUIET QURL 60/040	55		F02-263	Concrete
NGC	QUIET QURL 55/025		52	7004011	Laminate
NGC	QUIET QURL 55/025		53	7004012	Laminate
SSA	QUIET QURL 55/025		53	SS-1A	Vinyl
SSA	QUIET QURL 60/040		55	SS-1B	Vinyl
Riverbank Acoustical Lab	QUIET QURL 60/040	59		RAL TL04-241	Eng. Wood
Riverbank Acoustical Lab	QUIET QURL 60/040	59		RAL TL04-239	Vinyl
Riverbank Acoustical Lab	QUIET QURL 60/040		54	RAL IN04-017	Eng. Wood
Riverbank Acoustical Lab	QUIET QURL 60/040		52	RAL IN04-016	Vinyl
Traditional 2" x 10" Joists					
NGC	QUIET QURL 55/025	56		NGC 5003033	Vinyl
Riverbank Acoustical Lab	QUIET QURL 60/040	58	52	RAL IN04001 & 2	None

Notice to Specifiers, Contractors & Architects:

These technical drawings are offered as representative results with laboratory conditions. Field results will vary depending upon many factors outside of Keene Building Products™ control including but not limited to installation, lighting design, plumbing design & methods of construction. Keene Building Products™ Incorporated cannot assume any liability for the manner of installation of its products, which manner is left to the buyer in conjunction with the buyer's construction documents.

2011/1